



AVH308EB

EaZy Networking
One Cable solution (PON)
HD Video Recording
Push Video & Push Status

8CH Push Video HD Video Recorder

Features

Cloud Service - EaZy Networking*

- EaZy Networking, the cloud service provided by AVTECH, available to connect this device to Internet automatically in three steps with our free mobile app, EagleEyes.
- The “Buddy” feature to share the device access permission to other people.
- Device login / out notifications reported.

One Ethernet Cable Solution (PON, Power-over-Network)

Camera power supply & video transmission over one Ethernet cable to eliminate the needs of power adapters for your cameras during the whole HD surveillance system setup.

HD Video Recording

- HD real-time recording brings users clear images while video recording and playback
- 1920*1080 Full HD video output service, giving the best image quality on LCD / LED monitors.

External Disk Array Support for More Video Storage

eSATA interface built-in to connect a disk array (RAID 0/1/5/6/0+1/1+0) for more video storage

Free DDNS Service

Free DDNS service to configure your device to Internet easily

Push Video & Push Status - Active Event Notification with EagleEyes App

- **Push Video** to send instant notifications for an alarm event to iOS and Android mobile devices (when used with ETS IP camera series).
- **Push Status** to send instant notifications for system events, such as video loss or HDD data removal.



Multi-platform Remote Access

- Fully compatible with iOS and Android mobile devices, and Internet Explorer on Windows operating system
- Free PC program, CMS Lite, for 32CH devices monitoring on Windows operating system


ONVIF-Compliant

In addition to AVTECH IP cameras, this NVR is also connectable to the third-party IP cameras which adopt ONVIF protocol.

Smart Recording

High video resolution switch for events to optimize the recording efficiency of the hard disk

Rear Panel



* EaZy Networking is a free P2P cloud service to connect AVTECH devices to the Internet automatically by plug-and-play, enabling you to check the live view via your mobile device or laptop at anytime (in 64 kbps).



Specifications

Hardware		
Video Input	8 LAN ports	
Video Output	HDMI output	
Video Output Resolution	1920 x 1080	
HDD Storage**	One 6TB hard disk	
eSATA	YES	
USB Ports	Two on the front panel: one for video backup to USB flash drive, and another for local control via a USB mouse	
IR Remote Control	YES	
Ethernet	PON 1~8 port	10/100Mbps with PON
	Internet (WAN) port	1000Mbps
Software		
Video Compression Format	H.264	
Audio Compression Format	G.711	
Local / Remote Display Mode	8CH	
Local / Remote Playback Mode	4CH	
Single Channel Playback	YES	
Recording Mode	Manual / Event / Alarm / Schedule	
Recording Streaming	Dual	
Recording Throughput	Up to 120 IPS @ 2048 x 1536, 48 Mbps Up to 120 IPS @ 1920 x 1080, 48Mbps Up to 240 IPS @ 1280 x 720, 48Mbps	
Pre-alarm Recording	YES	
Quick Search	Manual / Event / Alarm / Schedule	
Security	4 user access levels with password	
Event Notification	Push Video / Message Mail / Video Mail	
Remote Access	(1) Internet Explorer on Windows operating system (2) CMS Lite, 32CH CMS software for Windows operating system (3) EagleEyes on iOS & Android mobile devices	
Max. Online Users	20	
EaZy Networking	YES	
General		
Power Source (±10%)	DC 48V/2.7A	
Camera power supply over PON (Power-over-Network)	YES	
Operating Temperature	10°C ~ 40°C (50°F~104°F)	
Operating Humidity	10% ~ 85%	
Dimensions (mm)***	345 (L) x 225 (W) x 68.3 (H)	
Net Weight	2.9 Kg	
Minimum PC Browsing Requirements	<ul style="list-style-type: none"> • Intel core i3 or higher, or equivalent AMD • 2GB RAM • AGP graphics card, Direct Draw, 32MB RAM • Windows 10, Windows 8, Windows 7, Windows Vista & Windows XP, DirectX 9.0 or later • Internet Explorer 7.x or later (Windows Edge not supported) 	

*The specifications are subject to change without notice

** HDDs are optional.

*** Dimensional tolerance: ±.5mm